

# Contents

|  |           |
|--|-----------|
| <b>1 Introduction</b> .....  | 1         |
| 1.1 Different Types of Vision Tasks and Systems .....  | 1         |
| 1.2 Why Perception and Action? .....   | 3         |
| 1.3 Why Perception and Not Just Vision? .....  | 4         |
| 1.4 What Are Appropriate Interpretation Spaces?.....   | 5         |
| 1.4.1 Differential Models for Perception ‘Here and Now’ .....                                      | 8         |
| 1.4.2 Local Integrals as Central Elements for Perception .....                                     | 9         |
| 1.4.3 Global Integrals for Situation Assessment .....  | 11        |
| 1.5 What Type of Vision System Is Most Adequate? .....   | 11        |
| 1.6 Influence of the Material Substrate on System Design:<br>Technical vs. Biological Systems..... | 14        |
| 1.7 What Is Intelligence? A Practical (Ecological) Definition .....                                | 15        |
| 1.8 Structuring of Material Covered.....   | 18        |
| <br>   |           |
| <b>2 Basic Relations: Image Sequences – “the World”.....</b>                                       | <b>21</b> |
| 2.1 Three-dimensional (3-D) Space and Time.....  | 23        |
| 2.1.1 Homogeneous Coordinate Transformations in 3-D Space .....                                    | 25        |
| 2.1.2 Jacobian Matrices for Concatenations of HCMs.....  | 35        |
| 2.1.3 Time Representation .....  | 39        |
| 2.1.4 Multiple Scales.....   | 41        |
| 2.2 Objects.....   | 43        |
| 2.2.1 Generic 4-D Object Classes .....   | 44        |
| 2.2.2 Stationary Objects, Buildings.....   | 44        |

|          |  |           |
|----------|--|-----------|
| 2.2.3    | Mobile Objects in General .....  | 44        |
| 2.2.4    | Shape and Feature Description.....                                     | 45        |
| 2.2.5    | Representation of Motion.....  | 49        |
| 2.3      | Points of Discontinuity in Time.....                                   | 53        |
| 2.3.1    | Smooth Evolution of a Trajectory .....                                 | 53        |
| 2.3.2    | Sudden Changes and Discontinuities .....                               | 54        |
| 2.4      | Spatiotemporal Embedding and First-order Approximations.....           | 54        |
| 2.4.1    | Gain by Multiple Images in Space and/or Time for<br>Model Fitting..... | 56        |
| 2.4.2    | Role of Jacobian Matrix in the 4-D Approach to Vision.....             | 57        |
| <b>3</b> | <b>Subjects and Subject Classes .....</b>                              | <b>59</b> |
| 3.1      | General Introduction: Perception – Action Cycles.....                  | 60        |
| 3.2      | A Framework for Capabilities .....                                     | 60        |
| 3.3      | Perceptual Capabilities .....  | 63        |
| 3.3.1    | Sensors for Ground Vehicle Guidance.....                               | 64        |
| 3.3.2    | Vision for Ground Vehicles .....                                       | 65        |
| 3.3.3    | Knowledge Base for Perception Including Vision .....                   | 72        |
| 3.4      | Behavioral Capabilities for Locomotion .....                           | 72        |
| 3.4.1    | The General Model: Control Degrees of Freedom.....                     | 73        |
| 3.4.2    | Control Variables for Ground Vehicles.....                             | 75        |
| 3.4.3    | Basic Modes of Control Defining Skills .....                           | 84        |
| 3.4.4    | Dual Representation Scheme .....                                       | 88        |
| 3.4.5    | Dynamic Effects in Road Vehicle Guidance.....                          | 90        |
| 3.4.6    | Phases of Smooth Evolution and Sudden Changes .....                    | 104       |
| 3.5      | Situation Assessment and Decision-Making .....                         | 107       |
| 3.6      | Growth Potential of the Concept, Outlook .....                         | 107       |
| 3.6.1    | Simple Model of Human Body as a Traffic Participant .....              | 108       |
| 3.6.2    | Ground Animals and Birds.....  | 110       |

---

|   |            |
|---|------------|
| <b>4 Application Domains, Missions, and Situations .....</b>          | <b>111</b> |
| 4.1 Structuring of Application Domains.....                           | 111        |
| 4.2 Goals and Their Relations to Capabilities .....                   | 117        |
| 4.3 Situations as Precise Decision Scenarios.....                     | 118        |
| 4.3.1 Environmental Background.....                                   | 118        |
| 4.3.2 Objects/Subjects of Relevance .....                             | 119        |
| 4.3.3 Rule Systems for Decision-Making .....                          | 120        |
| 4.4 List of Mission Elements.....                                     | 121        |
| <br>  |            |
| <b>5 Extraction of Visual Features .....</b>                          | <b>123</b> |
| 5.1 Visual Features .....   | 125        |
| 5.1.1 Introduction to Feature Extraction .....                        | 126        |
| 5.1.2 Fields of View, Multifocal Vision, and Scales.....              | 128        |
| 5.2 Efficient Extraction of Oriented Edge Features .....              | 131        |
| 5.2.1 Generic Types of Edge Extraction Templates.....                 | 132        |
| 5.2.2 Search Paths and Subpixel Accuracy .....                        | 137        |
| 5.2.3 Edge Candidate Selection .....                                  | 140        |
| 5.2.4 Template Scaling as a Function of the Overall Gestalt .....     | 141        |
| 5.3 The Unified Blob-edge-corner Method (UBM) .....                   | 144        |
| 5.3.1 Segmentation of Stripes Through Corners, Edges, and Blobs ..    | 144        |
| 5.3.2 Fitting an Intensity Plane in a Mask Region .....               | 151        |
| 5.3.3 The Corner Detection Algorithm .....                            | 167        |
| 5.3.4 Examples of Road Scenes .....                                   | 171        |
| 5.4 Statistics of Photometric Properties of Images .....              | 174        |
| 5.4.1 Intensity Corrections for Image Pairs .....                     | 176        |
| 5.4.2 Finding Corresponding Features .....                            | 177        |
| 5.4.3 Grouping of Edge Features to Extended Edges .....               | 178        |
| 5.5 Visual Features Characteristic of General Outdoor Situations..... | 181        |

|  |            |
|--|------------|
| <b>6 Recursive State Estimation .....</b>                                  | <b>183</b> |
| 6.1 Introduction to the 4-D Approach for Spatiotemporal Perception.....    | 184        |
| 6.2 Basic Assumptions Underlying the 4-D Approach .....                    | 187        |
| 6.3 Structural Survey of the 4-D Approach.....                             | 190        |
| 6.4 Recursive Estimation Techniques for Dynamic Vision.....                | 191        |
| 6.4.1 Introduction to Recursive Estimation.....                            | 191        |
| 6.4.2 General Procedure.....   | 192        |
| 6.4.3 The Stabilized Kalman Filter .....                                   | 196        |
| 6.4.4 Remarks on Kalman Filtering .....                                    | 196        |
| 6.4.5 Kalman Filter with Sequential Innovation .....                       | 198        |
| 6.4.6 Square Root Filters.....   | 199        |
| 6.4.7 Conclusion of Recursive Estimation for Dynamic Vision .....          | 202        |
| <br>   |            |
| <b>7 Beginnings of Spatiotemporal Road and Ego-state Recognition .....</b> | <b>205</b> |
| 7.1 Road Model.....  | 206        |
| 7.2 Simple Lateral Motion Model for Road Vehicles .....                    | 208        |
| 7.3 Mapping of Planar Road Boundary into an Image .....                    | 209        |
| 7.3.1 Simple Beginnings in the Early 1980s .....                           | 209        |
| 7.3.2 Overall Early Model for Spatiotemporal Road Perception .....         | 213        |
| 7.3.3 Some Experimental Results .....                                      | 214        |
| 7.3.4 A Look at Vertical Mapping Conditions.....                           | 217        |
| 7.4 Multiple Edge Measurements for Road Recognition .....                  | 218        |
| 7.4.1 Spreading the Discontinuity of the Clothoid Model.....               | 219        |
| 7.4.2 Window Placing and Edge Mapping.....                                 | 222        |
| 7.4.3 Resulting Measurement Model .....                                    | 224        |
| 7.4.4 Experimental Results .....   | 225        |
| <br>   |            |
| <b>8 Initialization in Dynamic Scene Understanding .....</b>               | <b>227</b> |
| 8.1 Introduction to Visual Integration for Road Recognition.....           | 227        |
| 8.2 Road Recognition and Hypothesis Generation.....                        | 228        |

|       |  |     |
|-------|--|-----|
| 8.2.1 | Starting from Zero Curvature for Near Range .....            | 229 |
| 8.2.2 | Road Curvature from Look-ahead Regions Further Away .....    | 230 |
| 8.2.3 | Simple Numerical Example of Initialization.....              | 231 |
| 8.3   | Selection of Tuning Parameters for Recursive Estimation..... | 233 |
| 8.3.1 | Elements of the Measurement Covariance Matrix $R$ .....      | 234 |
| 8.3.2 | Elements of the System State Covariance Matrix $Q$ .....     | 234 |
| 8.3.3 | Initial Values of the Error Covariance Matrix $P_0$ .....    | 235 |
| 8.4   | First Recursive Trials and Monitoring of Convergence .....   | 236 |
| 8.4.1 | Jacobian Elements and Hypothesis Checking .....              | 237 |
| 8.4.2 | Monitoring Residues .....                                    | 241 |
| 8.5   | Road Elements To Be Initialized.....                         | 241 |
| 8.6   | Exploiting the Idea of Gestalt.....                          | 243 |
| 8.6.1 | The Extended Gestalt Idea for Dynamic Machine Vision.....    | 245 |
| 8.6.2 | Traffic Circle as an Example of Gestalt Perception .....     | 251 |
| 8.7   | Default Procedure for Objects of Unknown Classes .....       | 251 |

## **9 Recursive Estimation of Road Parameters and Ego State While Cruising.....253**

|       |  |     |
|-------|--|-----|
| 9.1   | Planar Roads with Minor Perturbations in Pitch ..... | 255 |
| 9.1.1 | Discrete Models .....                                | 255 |
| 9.1.2 | Elements of the Jacobian Matrix .....                | 256 |
| 9.1.3 | Data Fusion by Recursive Estimation .....            | 257 |
| 9.1.4 | Experimental Results .....                           | 258 |
| 9.2   | Hilly Terrain, 3-D Road Recognition.....             | 259 |
| 9.2.1 | Superposition of Differential Geometry Models.....   | 260 |
| 9.2.2 | Vertical Mapping Geometry.....                       | 261 |
| 9.2.3 | The Overall 3-D Perception Model for Roads .....     | 262 |
| 9.2.4 | Experimental Results .....                           | 263 |
| 9.3   | Perturbations in Pitch and Changing Lane Widths..... | 268 |
| 9.3.1 | Mapping of Lane Width and Pitch Angle .....          | 268 |
| 9.3.2 | Ambiguity of Road Width in 3-D Interpretation.....   | 270 |

|           |  |            |
|-----------|--|------------|
| 9.3.3     | Dynamics of Pitch Movements: Damped Oscillations.....              | 271        |
| 9.3.4     | Dynamic Model for Changes in Lane Width .....                      | 273        |
| 9.3.5     | Measurement Model Including Pitch Angle, Width Changes....         | 275        |
| 9.4       | Experimental Results.....  | 275        |
| 9.4.1     | Simulations with Ground Truth Available .....                      | 276        |
| 9.4.2     | Evaluation of Video Scenes .....                                   | 278        |
| 9.5       | High-precision Visual Perception.....                              | 290        |
| 9.5.1     | Edge Feature Extraction to Subpixel Accuracy for Tracking.....     | 290        |
| 9.5.2     | Handling the Aperture Problem in Edge Perception .....             | 292        |
| <b>10</b> | <b>Perception of Crossroads .....</b>                              | <b>297</b> |
| 10.1      | General Introduction.....  | 297        |
| 10.1.1    | Geometry of Crossings and Types of Vision<br>Systems Required..... | 298        |
| 10.1.2    | Phases of Crossroad Perception and Turnoff .....                   | 299        |
| 10.1.3    | Hardware Bases and Real-world Effects.....                         | 301        |
| 10.2      | Theoretical Background .....                                       | 304        |
| 10.2.1    | Motion Control and Trajectories .....                              | 304        |
| 10.2.2    | Gaze Control for Efficient Perception.....                         | 310        |
| 10.2.3    | Models for Recursive Estimation .....                              | 313        |
| 10.3      | System Integration and Realization.....                            | 323        |
| 10.3.1    | System Structure .....   | 324        |
| 10.3.2    | Modes of Operation.....  | 325        |
| 10.4      | Experimental Results.....  | 325        |
| 10.4.1    | Turnoff to the Right .....   | 326        |
| 10.4.2    | Turnoff to the Left.....   | 328        |
| 10.5      | Outlook.....   | 329        |
| <b>11</b> | <b>Perception of Obstacles and Other Vehicles .....</b>            | <b>331</b> |
| 11.1      | Introduction to Detecting and Tracking Obstacles .....             | 331        |
| 11.1.1    | What Kinds of Objects Are Obstacles for Road Vehicles?.....        | 332        |

|  |            |
|--|------------|
| 11.1.2 At Which Range Do Obstacles Have To Be Detected?.....             | 333        |
| 11.1.3 How Can Obstacles Be Detected?.....                               | 334        |
| 11.2 Detecting and Tracking Stationary Obstacles.....                    | 336        |
| 11.2.1 Odometry as an Essential Component of Dynamic Vision .....        | 336        |
| 11.2.2 Attention Focusing on Sets of Features.....                       | 337        |
| 11.2.3 Monocular Range Estimation (Motion Stereo) .....                  | 338        |
| 11.2.4 Experimental Results .....  | 342        |
| 11.3 Detecting and Tracking Moving Obstacles on Roads .....              | 343        |
| 11.3.1 Feature Sets for Visual Vehicle Detection .....                   | 345        |
| 11.3.2 Hypothesis Generation and Initialization .....                    | 352        |
| 11.3.3 Recursive Estimation of Open Parameters and Relative State ...    | 361        |
| 11.3.4 Experimental Results .....  | 366        |
| 11.3.5 Outlook on Object Recognition.....                                | 375        |
| <b>12 Sensor Requirements for Road Scenes .....</b>                      | <b>377</b> |
| 12.1 Structural Decomposition of the Vision Task .....                   | 378        |
| 12.1.1 Hardware Base .....   | 378        |
| 12.1.2 Functional Structure .....  | 379        |
| 12.2 Vision under Conditions of Perturbation.....                        | 380        |
| 12.2.1 Delay Time and High-frequency Perturbation .....                  | 380        |
| 12.2.2 Visual Complexity and the Idea of Gestalt .....                   | 382        |
| 12.3 Visual Range and Resolution Required for Road Traffic Applications. | 383        |
| 12.3.1 Large Simultaneous Field of View.....                             | 384        |
| 12.3.2 Multifocal Design .....   | 384        |
| 12.3.3 View Fixation.....  | 385        |
| 12.3.4 Saccadic Control .....  | 386        |
| 12.3.5 Stereovision.....   | 387        |
| 12.3.6 Total Range of Fields of View .....                               | 388        |
| 12.3.7 High Dynamic Performance.....                                     | 390        |
| 12.4 <i>MarVEye</i> as One of Many Possible Solutions .....              | 391        |
| 12.5 Experimental Result in Saccadic Sign Recognition .....              | 392        |

|  |            |
|--|------------|
| <b>13 Integrated Knowledge Representations for Dynamic Vision .....</b>      | <b>395</b> |
| 13.1 Generic Object/Subject Classes.....                                     | 399        |
| 13.2 The Scene Tree .....  | 401        |
| 13.3 Total Network of Behavioral Capabilities.....                           | 403        |
| 13.4 Task To Be Performed, Mission Decomposition .....                       | 405        |
| 13.5 Situations and Adequate Behavior Decision .....                         | 407        |
| 13.6 Performance Criteria and Monitoring Actual Behavior .....               | 409        |
| 13.7 Visualization of Hardware/Software Integration.....                     | 411        |
| <br>   |            |
| <b>14 Mission Performance, Experimental Results .....</b>                    | <b>413</b> |
| 14.1 Situational Aspects for Subtasks .....                                  | 414        |
| 14.1.1 Initialization .....  | 414        |
| 14.1.2 Classes of Capabilities .....   | 416        |
| 14.2 Applying Decision Rules Based on Behavioral Capabilities.....           | 420        |
| 14.3 Decision Levels and Competencies, Coordination Challenges .....         | 421        |
| 14.4 Control Flow in Object-oriented Programming.....                        | 422        |
| 14.5 Hardware Realization of Third-generation EMS vision.....                | 426        |
| 14.6 Experimental Results of Mission Performance .....                       | 427        |
| 14.6.1 Observing a Maneuver of Another Car .....                             | 427        |
| 14.6.2 Mode Transitions Including Harsh Braking.....                         | 429        |
| 14.6.3 Multisensor Adaptive Cruise Control.....                              | 431        |
| 14.6.4 Lane Changes with Preceding Checks .....                              | 432        |
| 14.6.5 Turning Off on Network of Minor Unsealed Roads .....                  | 434        |
| 14.6.6 On- and Off-road Demonstration with<br>Complex Mission Elements ..... | 437        |
| <br>   |            |
| <b>15 Conclusions and Outlook .....</b>                                      | <b>439</b> |



---

## Appendix A

|  |     |
|--|-----|
| <b>Contributions to Ontology for Ground Vehicles</b> ..... | 443 |
| A.1 General environmental conditions .....                 | 443 |
| A.2 Roadways .....   | 443 |
| A.3 Vehicles .....   | 444 |
| A.4 Form, Appearance, and Function of Vehicles .....       | 444 |
| A.5 Form, Appearance, and Function of Humans .....         | 446 |
| A.6 Form, Appearance, and Likely Behavior of Animals ..... | 446 |
| A.7 General Terms for Acting “Subjects” in Traffic .....   | 446 |

## Appendix B

|  |     |
|--|-----|
| <b>Lateral dynamics</b> .....  | 449 |
| B.1 Transition Matrix for Fourth-order Lateral Dynamics .....  | 449 |
| B.2 Transfer Functions and Time Responses to an Idealized Doublet<br>in Fifth-order Lateral Dynamics ..... | 450 |

## Appendix C

|   |     |
|---|-----|
| <b>Recursive Least-squares Line Fit</b> .....               | 453 |
| C.1 Basic Approach .....                                    | 453 |
| C.2 Extension of Segment by One Data Point .....            | 456 |
| C.3 Stripe Segmentation with Linear Homogeneity Model ..... | 457 |
| C.4 Dropping Initial Data Point .....                       | 458 |

|                         |     |
|-------------------------|-----|
| <b>References</b> ..... | 461 |
|-------------------------|-----|

|                    |     |
|--------------------|-----|
| <b>Index</b> ..... | 473 |
|--------------------|-----|