

Contents

| | | |
|----------|--|----|
| 1 | Introduction | 1 |
| 1.1 | Knowledge Representation and Reasoning | 1 |
| 1.1.1 | Knowledge-Based Systems | 2 |
| 1.1.2 | Requirements for a Knowledge Representation Formalism .. | 3 |
| 1.2 | Conceptual Graphs | 8 |
| 1.2.1 | Basic Notions | 8 |
| 1.2.2 | Subsumption and Homomorphism | 9 |
| 1.2.3 | Formal Semantics | 11 |
| 1.2.4 | Full CGs | 12 |
| 1.3 | A Graph-Based Approach to KR | 13 |
| 1.3.1 | Motivations | 13 |
| 1.3.2 | Extensions of the Basic Formalism | 14 |
| 1.3.3 | Several Approaches to CGs | 16 |

Part I Foundations: Basic and Simple Conceptual Graphs

| | | |
|----------|--|----|
| 2 | Basic Conceptual Graphs | 21 |
| 2.1 | Definition of Basic Conceptual Graphs (BGs) | 22 |
| 2.1.1 | Vocabulary | 22 |
| 2.1.2 | Basic Conceptual Graphs | 25 |
| 2.1.3 | SubBGs and PseudoBGs | 29 |
| 2.2 | BG Homomorphism | 30 |
| 2.2.1 | Subsumption and Homomorphism | 30 |
| 2.2.2 | Bijjective Homomorphisms and Isomorphisms | 33 |
| 2.2.3 | BG Queries and Answers | 34 |
| 2.3 | BG Subsumption Properties | 35 |
| 2.3.1 | Subsumption Preorder | 35 |
| 2.3.2 | Irredundant BGs | 37 |
| 2.4 | Generalization and Specialization Operations | 40 |
| 2.4.1 | Elementary Generalization Operations for BGs | 40 |
| 2.4.2 | Generalization and Homomorphism | 42 |

| | | |
|----------|---|------------|
| 2.4.3 | Elementary Specialization Operations | 45 |
| 2.4.4 | Specialization and Homomorphism | 48 |
| 2.5 | Normal BGs | 49 |
| 2.5.1 | Definition of Normal BGs | 49 |
| 2.5.2 | Elementary Operations for Normal BGs | 52 |
| 2.6 | Complexity of Basic Problems | 54 |
| 2.7 | Bibliographic Notes | 56 |
| 3 | Simple Conceptual Graphs | 59 |
| 3.1 | Introduction | 60 |
| 3.2 | Vocabulary | 62 |
| 3.3 | Simple Conceptual Graphs (SGs) | 66 |
| 3.4 | Generalization and Specialization Operations | 69 |
| 3.5 | Standard and Normal SGs | 71 |
| 3.6 | Coref-Homomorphism | 72 |
| 3.7 | Antinormal Form and Homomorphism | 76 |
| 3.8 | Bibliographic Notes | 80 |
| 4 | Formal Semantics of SGs | 83 |
| 4.1 | Model Semantic | 84 |
| 4.1.1 | Models of SGs | 84 |
| 4.1.2 | Soundness and Completeness of (coref) Homomorphism | 87 |
| 4.2 | Logical Semantic | 89 |
| 4.2.1 | The FOL Semantic Φ | 89 |
| 4.2.2 | Model Semantic and Φ | 91 |
| 4.3 | Positive, Conjunctive, and Existential Fragment of FOL | 92 |
| 4.3.1 | Ordered Language and \mathcal{L} -Substitution | 93 |
| 4.3.2 | Soundness and Completeness Revisited | 94 |
| 4.3.3 | Relationships Between SGs and FOL(\wedge, \exists) | 95 |
| 4.3.4 | Another FOL Semantic: Ψ | 98 |
| 4.4 | Note on the Relationships Between Description Logics and Conceptual Graphs | 100 |
| 4.5 | Bibliographic Notes | 104 |
| 5 | BG Homomorphism and Equivalent Notions | 105 |
| 5.1 | Conceptual Graphs and Conceptual Hypergraphs | 107 |
| 5.1.1 | Conceptual Hypergraphs | 107 |
| 5.1.2 | Different Kinds of Vocabularies | 110 |
| 5.2 | Graphs | 113 |
| 5.2.1 | From Graphs to BGs | 114 |
| 5.2.2 | From BGs to Graphs | 117 |
| 5.3 | Relational Structures and Databases | 119 |
| 5.3.1 | Relational Structures and BGs | 119 |
| 5.3.2 | Conjunctive Queries and BGs | 120 |
| 5.4 | Constraint Satisfaction Problem | 124 |

| | | |
|-------|---------------------|-----|
| 5.4.1 | Definition of CSP | 124 |
| 5.4.2 | From CSP to BGs | 127 |
| 5.4.3 | From BGs to CSP | 128 |
| 5.5 | Bibliographic Notes | 132 |

Part II Computational Aspects of Basic Conceptual Graphs

| | | |
|----------|---|-----|
| 6 | Basic Algorithms for BG Homomorphism | 135 |
| 6.1 | Algorithms for BG Homomorphisms | 135 |
| 6.1.1 | Basic Backtrack Algorithms | 136 |
| 6.1.2 | Backtrack Improvements | 141 |
| 6.2 | Constraint Processing | 151 |
| 6.2.1 | A Panorama of Constraint Processing Techniques | 151 |
| 6.2.2 | Arc-Consistency | 154 |
| 6.2.3 | Forward Checking | 159 |
| 6.3 | Label Comparison | 161 |
| 6.3.1 | Basic Data Structures and Algorithms | 163 |
| 6.3.2 | Related Problems | 164 |
| 6.3.3 | Tree Orders | 166 |
| 6.3.4 | Partition in Chains | 167 |
| 6.3.5 | Lattices | 168 |
| 6.4 | Bibliographic Notes | 169 |
| 7 | Tractable Cases | 171 |
| 7.1 | Introduction | 171 |
| 7.1.1 | About Tractability | 172 |
| 7.1.2 | The Structure of the <i>Target</i> BG is of No Help | 172 |
| 7.2 | Tractability Based on the Multigraph-Acyclicity of the <i>Source</i> BG | 174 |
| 7.2.1 | Acyclic Multigraphs and Trees | 174 |
| 7.2.2 | BGs Trivially Logically Equivalent to Acyclic BGs | 184 |
| 7.3 | Tractability Based on the Hypergraph-Acyclicity of the Source BG | 185 |
| 7.3.1 | Use of a Join Tree | 187 |
| 7.3.2 | Construction of a Join Tree | 191 |
| 7.3.3 | Equivalence with the Existential Conjunctive Guarded Fragment | 193 |
| 7.4 | Generalizations of Graph-Acyclicity and Hypergraph-Acyclicity | 198 |
| 7.4.1 | Graphs and Treewidth | 198 |
| 7.4.2 | Hypergraphs and Hypertreewidth | 200 |
| 7.4.3 | Expressivity Results | 201 |
| 7.5 | What About Labels? | 202 |
| 7.6 | Complementary Notes | 204 |

| | | |
|--------------------------------|--|-----|
| 8 | Other Specialization/Generalization Operations | 207 |
| 8.1 | The Least Generalization and Greatest Specialization of Two BGs | 208 |
| 8.2 | Basic Compatibility Notions and Maximal Joins | 212 |
| 8.2.1 | Compatible Node Set | 212 |
| 8.2.2 | Maximal Join | 215 |
| 8.3 | Compatible Partitions and Extended Join | 222 |
| 8.3.1 | Compatible C-Partition and R-Partition | 222 |
| 8.3.2 | Extended Join | 226 |
| 8.3.3 | Join According to a Compatible Pair of C-Partitions | 226 |
| 8.4 | \mathcal{G} -Specializations | 228 |
| 8.4.1 | Surjective Homomorphism | 228 |
| 8.4.2 | Union | 229 |
| 8.4.3 | Inductive Definition of BGs | 231 |
| 8.4.4 | \mathcal{G} -Specializations | 232 |
| 8.5 | Type Expansion and Contraction | 235 |
| 8.6 | Bibliographic Notes | 242 |
| Part III Extensions | | |
| 9 | Nested Conceptual Graphs | 247 |
| 9.1 | Introduction | 248 |
| 9.2 | Nested Basic Graphs (NBGs) | 249 |
| 9.3 | Nested Graphs (NGs) | 256 |
| 9.4 | Nested Typed Graphs | 258 |
| 9.5 | The Semantics Φ_N | 262 |
| 9.5.1 | Definition of Φ_N | 263 |
| 9.5.2 | Soundness and Completeness | 265 |
| 9.6 | Representation of Nested Typed Graphs by BGs | 267 |
| 9.7 | Bibliographic Notes | 270 |
| 10 | Rules | 273 |
| 10.1 | Definition and Logical Semantics of a Rule | 273 |
| 10.1.1 | Logical Semantics of a Rule | 276 |
| 10.1.2 | Rule as a Bicolored Graph | 277 |
| 10.2 | Forward Chaining | 278 |
| 10.2.1 | Rule Application | 279 |
| 10.2.2 | Derivation and Deduction | 281 |
| 10.2.3 | Non-Redundant Rule Application | 284 |
| 10.2.4 | Soundness and Completeness of Forward Chaining | 286 |
| 10.3 | Backward Chaining | 291 |
| 10.3.1 | Outline of the Backward Chaining Mechanism | 292 |
| 10.3.2 | Piece Resolution | 294 |
| 10.3.3 | Soundness and Completeness of Backward Chaining | 298 |
| 10.4 | Computational Complexity of \mathcal{FR} -DEDUCTION with Rules | 301 |
| 10.4.1 | Semi-Decidability of \mathcal{FR} -DEDUCTION with Rules | 301 |

| | | |
|-----------|---|------------|
| 10.4.2 | Decidable Cases | 303 |
| 10.5 | Bibliographic Notes | 307 |
| 11 | The BG Family: Facts, Rules and Constraints | 311 |
| 11.1 | Overview of the BG Family | 311 |
| 11.2 | \mathcal{FC} : Facts and Constraints | 313 |
| 11.2.1 | Positive and Negative Constraints | 313 |
| 11.2.2 | Translation to FOL | 316 |
| 11.2.3 | Complexity of Consistency and Deduction | 318 |
| 11.3 | Combining Rules and Constraints | 321 |
| 11.3.1 | \mathcal{FRC} : Constraints and Inference Rules | 321 |
| 11.3.2 | \mathcal{FEC} : Constraints and Evolution Rules | 325 |
| 11.3.3 | \mathcal{FREEC} : Constraints, Inference and Evolution Rules | 326 |
| 11.3.4 | Complexity of Combining Rules and Constraints | 326 |
| 11.4 | Complexity in $\mathcal{FRC}/\mathcal{FEC}/\mathcal{FREEC}$ for Particular Cases of Rules and Constraints | 327 |
| 11.4.1 | Particular Cases of Rules | 327 |
| 11.4.2 | Particular Cases of Constraints | 330 |
| 11.5 | Bibliographic Notes | 334 |
| 12 | Conceptual Graphs with Negation | 337 |
| 12.1 | Full Conceptual Graphs | 338 |
| 12.1.1 | Existential Graphs: a Diagrammatical System for Logics | 338 |
| 12.1.2 | Full Conceptual Graphs (FCGs) | 340 |
| 12.1.3 | Logical Semantics of FCGs | 342 |
| 12.1.4 | Equivalence of CGs and FOL | 344 |
| 12.1.5 | FCG Calculus | 346 |
| 12.1.6 | Dau's FCGs | 347 |
| 12.1.7 | Kerdiles' FCGs | 348 |
| 12.2 | Conceptual Graphs with Atomic Negation | 350 |
| 12.2.1 | Polarized Graphs | 350 |
| 12.2.2 | Handling Coreference and Difference | 355 |
| 12.2.3 | PG-DEDUCTION and Equivalent Problems | 359 |
| 12.2.4 | Complexity of PG-DEDUCTION | 360 |
| 12.2.5 | Special Cases with Lower Complexity for PG-DEDUCTION | 362 |
| 12.2.6 | Algorithmic Improvements | 367 |
| 12.2.7 | Querying Polarized Graphs | 371 |
| 12.2.8 | Note on Negation and Rules | 374 |
| 12.3 | Bibliographic Notes | 375 |
| 13 | An Application of Nested Typed Graphs: Semantic Annotation Bases | 377 |
| 13.1 | Annotation | 377 |
| 13.1.1 | Annotations, Metadata and Resources | 377 |
| 13.1.2 | Examples of Annotation Base Uses | 378 |
| 13.1.3 | Components of an Annotation System | 380 |

| | | |
|----------|----------------------------------|------------|
| 13.2 | Annotation Base | 381 |
| 13.2.1 | Exact Knowledge | 382 |
| 13.2.2 | Modules | 383 |
| 13.2.3 | Plausible Knowledge | 384 |
| 13.3 | Querying an Annotation Base | 385 |
| 13.3.1 | Exact Search | 386 |
| 13.3.2 | Approximate Search | 386 |
| 13.4 | Annotation and the Semantic Web | 388 |
| 13.5 | Conclusion | 390 |
| A | Mathematical Background | 393 |
| A.1 | Sets and Relations | 394 |
| A.1.1 | Sets and Elements | 394 |
| A.1.2 | Relations and Mappings | 395 |
| A.2 | Graphs | 397 |
| A.2.1 | Directed Graphs | 397 |
| A.2.2 | Homomorphism | 399 |
| A.2.3 | Different Sorts of Graphs | 400 |
| A.2.4 | Hypergraphs | 403 |
| A.3 | Ordered Sets | 403 |
| A.3.1 | Basic Notions | 403 |
| A.3.2 | Lattices | 405 |
| A.4 | First Order Logic (FOL) | 406 |
| A.4.1 | Syntax | 406 |
| A.4.2 | Semantics and Models | 408 |
| A.4.3 | Clausal Form | 409 |
| A.4.4 | Resolution and SLD-Resolution | 409 |
| A.5 | Algorithm and Problem Complexity | 410 |
| | References | 413 |
| | Index | 423 |