

Contents

Part I Redox Systems via d, π -Conjugation

1	Conjugated Complexes with Quinonediiimine Derivatives	
	<i>Toshiyuki Moriuchi, Toshikazu Hirao</i>	3
1.1	Introduction	4
1.2	Architecturally Controlled Formation of Conjugated Complexes with 1,4-Benzoquinonediiimines	5
1.3	Redox-Switching Properties of Conjugated Complexes with 1,4-Benzoquinonediiimines	17
1.4	Conclusion	24
1.5	References	25
2	Realizing the Ultimate Amplification in Conducting Polymer Sensors: Isolated Nanoscopic Pathways	
	<i>Timothy M. Swager</i>	29
2.1	Dimensionality in Molecular-Wire Sensors	29
2.2	Analyte-Triggered Barrier Creation in Conducting Polymers . .	32
2.3	Isolated Nanoscopic Pathways	34
2.4	Langmuir–Blodgett Approaches to Nanofibrils	34
2.5	Molecular Scaffolds for the Isolation of Molecular Wires	37
2.6	Summary and Future Prospects	43
2.7	References	43
3	Metal-Containing π-Conjugated Materials	
	<i>Michael O. Wolf</i>	45
3.1	Introduction	46
3.1.1	π -Conjugated Materials	46
3.1.2	Nanomaterials	46
3.2	Metal-Complex-Containing Conjugated Materials	47
3.2.1	Preparation	47
3.2.2	Properties	49
3.3	Metal-Nanoparticle-Containing Conjugated Materials	51
3.3.1	Preparation	51

3.3.2	Properties	51
3.4	Applications	52
3.5	Conclusions	53
3.6	References	53
4	Redox Active Architectures and Carbon-Rich Ruthenium Complexes as Models for Molecular Wires	
	<i>Stéphane Rigaut, Daniel Touchard, Pierre H. Dixneuf</i>	55
4.1	Introduction	56
4.2	Ruthenium Allenylidene and Acetylide Building Blocks: Basic Properties	57
4.2.1	Synthetic Routes	57
4.2.2	Redox Properties	60
4.2.2.1	Oxidation of Ruthenium Metal Acetylides: Stable Ru ^{II} /Ru ^{III} Systems and a New Route to Allenylidene Metal Complexes	60
4.2.2.2	Reduction of Metal Allenylidenes: Access to Stable “Organic” Radicals and a Route to Acetylides .	61
4.3	Bimetallic Complexes from the Ru(dppe) ₂ System	63
4.3.1	A Binuclear Bis-Acetylide Ruthenium Complex	63
4.3.2	Bis-Allenylidene Bridges Linking Two Ruthenium Complexes .	64
4.3.3	C ₇ Bridged Binuclear Ruthenium Complexes	67
4.4	Connection of Two Carbon-Rich Chains with the Ruthenium System	71
4.5	Trimetallic and Oligomeric Metal Complexes with Carbon-Rich Bridges	74
4.6	Star Organometallic-Containing Multiple Identical Metal Sites .	77
4.7	Conclusion	79
4.8	References	79
5	Molecular Metal Wires Built from a Linear Metal Atom Chain Supported by Oligopyridylamido Ligands	
	<i>Chen-Yu Yeh, Chih-Chieh Wang, Chun-Hsien Chen, Shie-Ming Peng</i>	85
5.1	Introduction	86
5.2	Synthesis of Oligopyridylamine Ligands	87
5.3	Dimerization by Self-Complementary Hydrogen Bonding	90
5.4	Complexation of Oligopyridylamine Ligands	91
5.5	Mono- and Dinuclear Complexes	91
5.6	Structures of Linear Multinuclear Nickel Complexes	92
5.7	Structures of Linear Multinuclear Cobalt Complexes	98
5.8	Structures of Linear Multinuclear Chromium Complexes	100
5.9	Structures of Triruthenium and Trirhodium Complexes	103
5.10	Complexes of Modified Ligands	104

5.11	Electrochemical Properties of the Complexes	105
5.12	Scanning Tunneling Microscopy Studies	112
5.13	Summary	114
5.14	References	115

6 Multielectron Redox Catalysts in Metal-Assembled Macromolecular Systems

	<i>Takane Imaoka, Kimihisa Yamamoto</i>	119
6.1	Introduction	119
6.2	Multielectron Redox Systems	120
6.3	Multinuclear Complexes as Redox Catalysts	122
6.4	Macromolecule-Metal Complexes	123
6.5	Metal Ion Assembly on Dendritic Macromolecules	124
6.6	Conclusion	129
6.7	References	129

Part II Redox Systems via Coordination Control

7 Triruthenium Cluster Oligomers that Show Multistep/Multielectron Redox Behavior

	<i>Tomohiko Hamaguchi, Tadashi Yamaguchi, Tasuku Ito</i>	133
7.1	Introduction	133
7.2	Syntheses of Oligomers 1 and 2	135
7.3	Redox Behavior of 1 and 2	136
7.4	Conclusion	139
7.5	References	139

8 Molecular Architecture of Redox-Active Multilayered Metal Complexes Based on Surface Coordination Chemistry

	<i>Masa-aki Haga</i>	141
8.1	Introduction	141
8.2	Fabrication of Multilayer Nanoarchitectures by Surface Coordination Chemistry	142
8.2.1	Layer-by-Layer Assembly on Solid Surfaces	142
8.2.2	Molecular Design of Anchoring Groups for Control of Molecular Orientation on Surfaces	143
8.2.3	Molecular Design of Redox-Active Metal Complex Units for the Control of Energy Levels on Surfaces	146
8.3	Chemical Functions of Redox-Active Multilayered Complexes on Surface	148
8.3.1	Electron Transfer Events in Multilayer Nanostructures	148

8.3.2	Combinatorial Approach to Electrochemical Molecular Devices in a Multilayer Nanostructure on Surfaces	149
8.3.3	Surface DNA Trapping by Immobilized Metal Complexes with Intercalator Moiety Toward Nanowiring	151
8.4	Conclusion	153
8.5	References	153
9	Programmed Metal Arrays by Means of Designable Biological Macromolecules <i>Kentaro Tanaka, Tomoko Okada, Mitsuhiro Shionoya</i>	155
9.1	Introduction	155
9.2	DNA-Directed Metal Arrays	156
9.2.1	Metal-Mediated Base Pairing in DNA	156
9.2.2	Single-Site Incorporation of a Metal-Mediated Base Pair into DNA	157
9.2.3	Discrete Self-Assembled Metal Arrays in DNA	159
9.3	Peptide-Directed Metal Arrays	161
9.3.1	Design Concept	161
9.3.2	Heterogeneous Metal Arrays Using Cyclic Peptides	162
9.3.3	Metal Ion Selectivity in Supramolecular Complexation	163
9.4	Conclusion	164
9.5	References	164
10	Metal-Incorporated Hosts for Cooperative and Responsive Recognition to External Stimulus <i>Tatsuya Nabeshima, Shigehisa Akine</i>	167
10.1	Introduction	167
10.2	Pseudomacrocycles for Cooperative Molecular Functional Systems	168
10.3	Oligo(N ₂ O ₂ -Chelate) Macrocycles	172
10.3.1	Design of Macrocyclic Oligo(N ₂ O ₂ -Chelate) Ligands and Metallohosts	172
10.3.2	Synthesis and Structure of Tris(N ₂ O ₂ -Chelate) Macrocycles	173
10.4	Acyclic Oligo(N ₂ O ₂ -Chelate) Ligands	174
10.4.1	Design of Acyclic Oligo(N ₂ O ₂ -Chelate) Ligands	174
10.4.2	Complexes of a New N ₂ O ₂ -Chelate Ligand, Salamo	175
10.4.3	Synthesis, Structure, and Properties of Acyclic Oligo(N ₂ O ₂ -Chelate) Ligands	176
10.5	Conclusion	177
10.6	References	177

11	Synthesis of Poly(binaphthol) via Controlled Oxidative Coupling <i>Shigeaki Habaue, Bunpei Hatano</i>	179
11.1	Introduction	179
11.2	Asymmetric Oxidative Coupling with Dinuclear Metal Complexes	181
11.3	Oxidative Coupling Polymerization of Phenols	183
11.4	Oxidative Coupling Polymerization of 2,3-Dihydroxynaphthalene	184
11.5	Conclusion	188
11.6	References	188

Part III Redox Systems via Molecular Chain Control

12	Nano Meccano <i>Yi Liu, Amar H. Flood, J. Fraser Stoddart</i>	193
12.1	Introduction	194
12.2	Redox-Controllable Molecular Switches in Solution	196
12.2.1	Bistable [2]Catenanes	196
12.2.2	Bistable [2]Rotaxanes	197
12.2.3	Self-Complexing Molecular Switches	198
12.3	Application of Redox-Controllable Molecular Machines in Electronic Devices	201
12.4	Application of Redox-Controllable Molecular Machines in Mechanical Devices	204
12.4.1	Switching in Langmuir–Blodgett Film	205
12.4.2	Molecular Machines Functioning as Nanovalves	207
12.4.3	Artificial Molecular Muscles	208
12.5	Conclusions	211
12.6	References	212
13	Through-Space Control of Redox Reactions Using Interlocked Structure of Rotaxanes <i>Nobuhiro Kihara, Toshikazu Takata</i>	215
13.1	Introduction	215
13.2	Redox Behavior and Conformation of Ferrocene-End-Capped Rotaxane	217
13.3	Reduction of Ketone by Rotaxane Bearing a Dihydronicotinamide Group	225
13.4	Conclusion	230
13.5	References	231

14	Metal-Containing Star and Hyperbranched Polymers <i>Masami Kamigaito</i>	233
14.1	Introduction	233
14.2	Metal-Containing Star Polymers	235
14.2.1	Metal-Containing Star Polymers with a Small and Well-Defined Number of Arms	236
14.2.2	Metal-Containing Star Polymers with a Large and Statistically Distributed Number of Arms	240
14.3	Metal-Containing Hyperbranched Polymers	243
14.4	Concluding Remarks	245
14.5	References	246
15	Electronic Properties of Helical Peptide Derivatives at a Single Molecular Level <i>Shunsaku Kimura, Kazuya Kitagawa, Kazuyuki Yanagisawa, Tomoyuki Morita</i>	249
15.1	Molecular Electronics	249
15.2	Electron Transfer Through Molecules	250
15.3	Electronic Properties of Helical Peptides	251
15.4	Electron Transfer Mechanism over a Long Distance	254
15.5	Effect of Linkers on Electron Transfer	254
15.6	Helical-Peptide Scaffold for Electron Hopping	256
15.7	Photocurrent Generation with Helical Peptides Carrying Naphthyl Groups	259
15.8	Conclusion	261
15.9	References	261
16	Construction of Redox-Induced Systems Using Antigen-Combining Sites of Antibodies and Functionalization of Antibody Supramolecules <i>Hiroyasu Yamaguchi, Akira Harada</i>	263
16.1	Introduction	264
16.2	Photoinduced Electron Transfer from Porphyrins to Electron Acceptor Molecules	266
16.2.1	Monoclonal Antibodies for <i>meso</i> -Tetrakis(4-carboxyphenyl)porphyrin (TCPP)	267
16.2.2	Photoinduced Electron Transfer from a Porphyrin to an Electron Acceptor in an Antibody-Combining Site	273
16.3	Peroxidase Activity of Fe-Porphyrin-Antibody Complexes	275
16.3.1	Preparation of Monoclonal Antibodies Against Cationic Porphyrins	276
16.3.2	Peroxidase Activity of Antibody-Fe-TMPyP Complex	280
16.4	Dendritic Antibody Supramolecules	282

16.5	Linear Antibody Supramolecules: Application for Novel Biosensing Method	285
16.5.1	Antiviologen Antibodies	286
16.5.2	Applications for Highly Sensitive Detection Method of Methyl Viologen by Supramolecular Complex Formation Between Antibodies and Divalent Antigens.....	287
16.6	Conclusions	289
16.7	References	290
Subject Index		293