
Contents

1	Introduction	1
2	Fundamental Aspects	5
2.1	Wood Anatomy	5
2.1.1	Structure of the Lignified Cell Wall	5
2.1.2	Middle Lamella	6
2.1.3	Primary Wall	8
2.1.4	Secondary Wall	8
2.1.5	New Information on the Structure of the S ₂ Layer ..	10
2.2	Mechanical Model for Wood	13
2.3	Types of Wood Decay	16
2.3.1	Brown Rot	17
2.3.2	White Rot: the Whole Spectrum of Diversity	22
2.3.2.1	White Rot	22
2.3.2.2	White Rot: Selective Delignification	22
2.3.2.3	White Rot: Simultaneous Rot	25
2.3.3	Soft Rot	26
2.3.3.1	Soft Rot in Living Trees Caused by an Ascomycete ..	30
2.3.3.2	Basidiomycetes as Facultative Soft-Rotters	30
3	Examination, Importance and Mechanical Effects of Wood-Decay Fungi in the Living Trees	33
3.1	Fungus Identification	33
3.1.1	Basidiomycetes	34
3.1.2	Ascomycetes	36
3.1.3	Differentiation and Asexual Reproduction of Mycelium	37
3.2	Classification of Wood-Decay Fungi According to Their Main Occurrence in the Tree	37
3.2.1	Colonization Strategies of Stem-Decaying Fungi ...	40
3.2.2	Colonization Strategies of Root-Decaying Fungi ...	43
3.2.2.1	Number of Fungal Fruit Bodies and Their Predictive Value	46
3.2.2.2	Fungus Species Which Invade the Stemwood as Well as the Roots	47

3.2.2.3	Root Fungi Found Mainly Only in the Roots	48
3.2.2.4	Wood-Decay Patterns Observable in the Roots	48
3.2.3	Factors Influencing Wood Degradation	49
3.2.4	Symptoms of Damage by Fungal Pathogens	51
3.2.4.1	Symptoms of Damage by Stem and Root-Decaying Fungi	56
3.3	Fungus-Host Combinations	59
3.3.1	<i>Fomes fomentarius</i>	59
3.3.1.1	Distribution and Hosts	59
3.3.1.2	Fruit Bodies	59
3.3.1.3	Possibilities of Misidentification	61
3.3.1.4	Useful Information	61
3.3.1.5	Appearance of the Decay	61
3.3.1.6	Pattern of Wood Decay by <i>Fomes fomentarius</i> (on Beech and Oak)	62
3.3.2	<i>Inonotus hispidus</i>	64
3.3.2.1	Distribution and Hosts	64
3.3.2.2	Fruit Bodies	65
3.3.2.3	Useful Information	65
3.3.2.4	Appearance of the Decay	65
3.3.2.5	Pattern of Wood Decay by <i>Inonotus hispidus</i> (on London Plane and Ash)	67
3.3.3	<i>Laetiporus sulphureus</i>	70
3.3.3.1	Distribution and Hosts	70
3.3.3.2	Fruit Bodies	71
3.3.3.3	Useful Information	71
3.3.3.4	Appearance of the Decay	73
3.3.3.5	Pattern of Wood Decay by <i>Laetiporus sulphureus</i> (on <i>Robinia</i> and Oak)	73
3.3.4	<i>Fistulina hepatica</i>	76
3.3.4.1	Distribution and Hosts	76
3.3.4.2	Fruit Bodies	76
3.3.4.3	Useful Information	78
3.3.4.4	Appearance of the Decay	78
3.3.4.5	Pattern of Wood Decay by <i>Fistulina hepatica</i> (on Oak)	80
3.3.5	<i>Ustulina deusta</i>	81
3.3.5.1	Distribution and Hosts	81
3.3.5.2	Fruit Bodies	82
3.3.5.3	Useful Information	84
3.3.5.4	Appearance of the Decay by <i>Ustulina deusta</i>	84
3.3.5.5	Pattern of Wood Decay by <i>Ustulina deusta</i> (on Beech and Lime)	85
3.3.6	<i>Polyporus squamosus</i>	89
3.3.6.1	Distribution and Hosts	89
3.3.6.2	Fruit Bodies	89

3.3.6.3	Useful Information	89
3.3.6.4	Appearance of the Decay	90
3.3.6.5	Pattern of Wood Decay by <i>Polyporus squamosus</i> (on Lime and London Plane)	90
3.3.7	<i>Phellinus robustus</i>	94
3.3.7.1	Distribution and Hosts	94
3.3.7.2	Fruit Bodies	94
3.3.7.3	Possibilities of Misidentification	96
3.3.7.4	Useful Information	96
3.3.7.5	Appearance of the Decay	96
3.3.7.6	Pattern of Wood Decay by <i>Phellinus robustus</i> (on Oak)	98
3.3.8	<i>Fomitopsis pinicola</i>	98
3.3.8.1	Distribution and Hosts	98
3.3.8.2	Fruit Bodies	99
3.3.8.3	Useful Information	99
3.3.8.4	Appearance of the Decay	99
3.3.8.5	Pattern of Wood Decay by <i>Fomitopsis pinicola</i> (on Spruce and Beech)	101
3.3.9	<i>Heterobasidion annosum</i>	104
3.3.9.1	Distribution and Hosts	104
3.3.9.2	Fruit Bodies	104
3.3.9.3	Possibilities of Misidentification	106
3.3.9.4	Useful Information	106
3.3.9.5	Appearance of the Decay	107
3.3.9.6	Pattern of Wood Decay by <i>Heterobasidion annosum</i> (on Spruce and Pine)	107
3.3.10	<i>Meripilus giganteus</i>	110
3.3.10.1	Distribution and Hosts	110
3.3.10.2	Fruit Bodies	110
3.3.10.3	Useful Information	112
3.3.10.4	Appearance of the Decay	113
3.3.10.5	Pattern of Wood Decay by <i>Meripilus giganteus</i> (on Beech and Lime)	113
3.3.11	<i>Armillaria</i> spp.	116
3.3.11.1	Distribution and Hosts	116
3.3.11.2	Fruit Bodies	117
3.3.11.3	Useful Information	117
3.3.11.4	Appearance of the Decay	118
3.3.11.5	Pattern of Wood Decay by <i>Armillaria</i> (<i>Armillaria</i> <i>ostoyae</i> on Spruce; <i>Armillaria mellea</i> on Maple)	120
3.3.12	<i>Ganoderma</i> spp.	122
3.3.12.1	Distribution and Hosts	122
3.3.12.2	Fruit Bodies	122
3.3.12.3	Useful Information	123
3.3.12.4	Appearance of the Decay	124

3.3.12.5	Pattern of Wood Decay by <i>Ganoderma</i> spp. (<i>Ganoderma pfeifferi</i> on Oak; <i>Ganoderma applanatum</i> on Broad-Leaved Lime) . . .	124
3.3.13	<i>Grifola frondosa</i>	128
3.3.13.1	Distribution and Hosts	128
3.3.13.2	Fruit Bodies	129
3.3.13.3	Useful Information	129
3.3.13.4	Appearance of the Decay	129
3.3.13.5	Pattern of Wood Decay by <i>Grifola frondosa</i> (on Oak)	131
3.3.14	<i>Inonotus dryadeus</i>	131
3.3.14.1	Distribution and Hosts	131
3.3.14.2	Fruit Bodies	133
3.3.14.3	Useful Information	133
3.3.14.4	Appearance of the Decay	136
3.3.15	<i>Pholiota squarrosa</i>	138
3.3.15.1	Distribution and Hosts	138
3.3.15.2	Fruit Bodies	138
3.3.15.3	Useful Information	138
3.3.15.4	Appearance of the Decay	138

4	Host-Fungus Interactions: Development and Prognosis of Wood Decay in the Sapwood	139
4.1	Introduction	139
4.2	The CODIT Model	141
4.3	Host Response Mechanisms in the Sapwood	143
4.4	Different Response Mechanisms in Heartwood and Sapwood	147
4.5	The Importance of Walls 1–3 from the Mycological Standpoint	148
4.5.1	The Importance of Walls 1–3 of the CODIT Model in Heartwood and Ripewood and Their Anatomical Interpretation	148
4.5.2	The Importance of Walls 1–3 in Sapwood: the Reaction Zones	151
4.6	Reaction Zone Penetration, as Exemplified by <i>Inonotus hispidus</i>	153
4.6.1	<i>Inonotus hispidus</i> in a London Plane Tree	153
4.7	Example of Strong Compartmentalization of <i>Ustulina deusta</i> in a Healthy Beech Tree	155
4.8	Examples of Weak Compartmentalization of <i>Ustulina deusta</i> in a Weakened Beech Tree	156

4.9	<i>Ustulina deusta</i> in Lime Trees	158
4.10	The Behavior of Strong and Weak Compartmentalizers in the Host-Fungus Interaction	158
4.11	Xylem Rays as the Tree's Achilles Heel in Host-Fungus Interactions	160
4.12	Cracks as 'Motorways' for Fungi	162
4.13	The Importance of the Barrier Zone (Wall 4)	163
	Postscript	169
	References	171
	Index	183